



J.D. INTERNATIONAL JAGDAMBA AUTO INDUSTRIES

AN ISO 9001 : 2015 CERTIFIED COMPANY



KRBTube
EXTRUSIONS SOLUTIONS

JAYDEE
CONTROL CABLES & SPEEDO CABLES

Speed On[®]
Fuel Lines



www.krbtube.in
www.jaydeecables.com




AN ISO 9001 : 2015

PVC BRAIDED HOSE

PVC Braid Reinforced Hose with superior high- strength Polyester yarn and 100% virgin new material.

It is suitable for low temperature in low pressure equipment, water system, irrigation, sanitary, cleaning and so on.



FEATURES:

1. Supplying water, air and oil etc fluid in agriculture and industry.
2. High temperature and low temperature feature could be chosen if need.

CODE	SIZE MM			LENGTH (M)	@23°C	WEIGHT GM
	INCH	O.D.	I.D.			
PVC1106	1 / 4"	11	6	100	13	87
PVC812	5 / 16"	12	8	100	10	82
PVC813	5 / 16 "	13	8	100	12	105
PVC1014	3 / 8"	14	10	100	10	98
PVC1015	3 / 8"	15	10	100	12	130
PVC1216	1 / 2"	16	12	100	9	115
PVC1218	1 / 2"	18	12	100	10	185
PVC1519	3 / 8"	19	15	100	12	140
PVC1924	3 / 4 "	24	19	100	6	220
PVC1925	3 / 4"	25	19	100	8	270
PVC2530	1"	30	25	50	5	281
PVC2531	1"	31	25	50	6	340
PVC3240	1-1/4"	40	32	50	4	590
PVC3846	1-1/2"	46	38	50	4	690
PVC5059	2"	59	50	40	4	1010
PVC5062	2"	62	50	40	4	1380

Note : other color and other thickness could be choose on bulk order.

CORRUGATED PIPE

CORRUGATED PIPE SINGLE WALL, MATERIAL : PP, LD, HD, NYLON



SIZE AVAILABLE

SIZE	-	METER
8MM	-	100 MTR
10MM	-	100 MTR
12MM	-	100 MTR
14MM	-	100 MTR
16MM	-	100 MTR
18MM	-	50 MTR
20MM	-	50 MTR
22MM	-	50 MTR
25MM	-	50 MTR
32MM	-	25 MTR
50MM	-	25 MTR



COLOUR : BLACK, GREY, NATURAL, WHITE, RED, BLUE & AS PER REQUIREMENT

NYLON TUBING PA-6 AND PA-12 TUBE

KRB Nylon tubing have types of PA6 tube, PA12 tube. They are typically used in high-temperature situations or high pressure system. Nylon tubing can be used on pneumatic tool, grease lines, brake controls and lubrication etc. it can also function with the use of some diluted acids, organic solvents, hydraulic fluids, and oils



FEATURES:

1. Excellent in weather resistance.
2. Light weight, good aging
3. Resists abrasion and vibration, high impact resistance
4. Biocompatibility and precision extruded tolerance
5. Equivalent to DIN73378 /Standard.
6. Wall Thickness 0.50mm To 2.00mm Working pressure Up To. 200kg / CM2 Depending upon Tube Size.
7. Available sizes 3mm to 19mm outer Diameter or Higher Thickness on demand & Depend on Quantity.
8. Colours : Natural , Black, White, Red , Blue , Yellow, Orange , Green Etc..
9. Use : Automobile & Transport Industry For Fuel Transfer, like Petrol, Diesel. Gasoline, Air.
10. Density 1.04 to 1.14 & Lighter then copper & Good Replacement for Iron tube, Nylon tube are easy & rapid Installation process.
11. KRB Nylon Tubes with stands high pressure depending on wall thickness of tube.
12. KRB Tube has excellent resistance to chemicals, solvent, oils, Greases, Petrol, high speed diesel, Gasoline fluorocarbon refrigerants, & propellants and is impermeable to from Ozone & oxygen.
13. KRB Nylon tube is available in continuous length & length as required or ready for installation performed with fittings.
14. Misting: Excellent resistance to the misting system tubing from KRB provides guaranteed lifelong durability even in high density fogging and is also applicable for mid and high pressure systems for misting.
15. Anti Static Nylon Tubing: KRB nylon products Introduces unique tubing system Known as Anti Static nylon tubing for air pressure designed for piping to any assembly or product while ensuring that there is no static electricity during the process. Made of high Quality nylon having high conduction capacity, the anti static nylon tubing is available in various sizes from 4mm to 16mm and can also be customized for sizing. KRB guarantees lifelong durability of this tubing system which is available in black and natural colours . the anti static nylon tubing is made of soft nylon and is resistance to flame, preventing any chances of calamity

CODE	SIZE MM			LENGTH (M)	BURST PRESSURE AT @23°C KG/CM	WEIGHT GM
	O.D.	I.D.	(+) (-) MM			
PA0425	4	2.5	0.10	100	2.7	20
PA0402	4	2	0.10	100	3.2	28
PA0503	5	3	0.10	100	2.3	35
PA0604	6	4	0.10	100	3.1	40
PA0806	8	6	0.10	100	2.5	50
PA0906	9	6	0.10	50	2.5	70
PA0907	9	7	0.10	50	1.8	65
PA1008	10	8	0.10	100 & 50	2.5	65
Pa1065	10	6.5	0.10	100	2.5	65
PA1075	10	7.5	0.10	100 & 50	2.5	65
PA1209	12	9	0.10	100 & 50	2.5	70
PA1210	12	10	0.10	100 & 50	1.8	70
PA1411	14	11	0.15	100 & 50	1.8	75
Pa1512	15	12	0.15	50	1.8	78
PA1513	15	13	0.15	100 & 50	1.8	78
PA1612	16	12	0.15	100 & 50	1.8	80
PA1 / 4"	6.35	4.35	0.10	100	2.5	38
PA6 / 15"	7.95	6	0.10	100	3.5	50
PA3 / 8"	9.5	7.5	0.10	100 & 50	2.5	60
PA1 / 12"	12.7	9.5	0.15	100 & 50	2.5	70
Pa5 / 8"	15.87	11.87	0.15	100 & 50	2.5	125

KRB HOSE KRB TUBEHOSE FOR INDUSTRY AGRICULTURHOSE ether based
PU hose available Flame- resistant &antistatic pu hose available

PU POLYURETHANE TUBE / PU HOSE

FEATURES:

1. Flexibility and elasticity is still good under very low temperature.
2. Pretty high intensity, abrasion resistant and long service life, small bending radius.
3. Light weight, & Flexible like rubber over a range of temperature make this product compatible with so many applications and high grade of transparency, anti- corrosion.
4. Operating temperature-20° c+ 70° c (for Non- chemical Gas Space)
5. Hardness: 75-98A
6. SGS & ROHS Standard.

APPLICATION :

Industrial robot, pneumatic industry, air tools, Medical Appliances, Air compressor
Component, transport water and other liquid protection cover
For electronic and metal

CODE	SIZE MM		TOLERANCES	LENGTH (M)	W.P. MAX @ 23° C	MIN BEND RADII
	O.D.	I.D.				
KRB0302	3	2	0.10	100 & 200	10	8
KRB0425	4	2.5	0.10	100 & 200	10	12
KRB0503	5	3	0.10	100 & 200	10	8
KRB0604	6	4	0.10	100 & 200	10	15
KRB0805	8	5	0.10	100	10	20
KRB0806	8	6	0.10	100	10	17
KRB1065	10	6.5	0.10	100	10	25
KRB1208	12	8	0.10	50 & 100	10	38
KRB1410	14	10	0.15	100	8	60
KRB1612	16	12	0.15	100	7	70
KRB 3/ 16"	3/16"	0.118"	0.10	200	10	10
KRB 1 / 4"	1 / 4"	0.179"	0.10	200	10	12
KRB 3/ 8"	3 / 8"	1 / 4"	0.10	100	10	25
KRB 1/ 2"	1 / 2"	3 / 8"	0.15	100	10	38

COLOUR : CLEAR, RED BLUE, BLACK, YELLOW, ORANGE, GREEN, GRAY, WHITE
TRANSPARENT RED, TRANSPARENT BLUE, TRANSPARENT GREEN, TRANSPARENT YELLOW, , ORANGE

GREASE GUN PIPE FOR HAND OPERATED GUNS





MULTI-PURPOSE TPR (RUBBER/PVC MIXED) HOSE

Multipurpose air Hose absorbs hybrid materials. Thus it has the strength and flexibility of rubber with the light weight of PVC. Pliable in even sub-zero temp, the hose lies flat or coils up nicely at the end of the day. All weather flexibility lets you work anywhere from -22 °F to 176 °F. Bend resistors prevent wear and tear at the joints. While a kink resistant design prolongs the life of the hose. Reaching up to 50 ft. long, this hose delivers 300 PSI for max working pressure. The rubber coating protects it from wear and tear, and is tough enough that you don't have to worry about damage from snagging, dragging it over abrasive surfaces, or rolling over it. This air hose is oil, electrical, and chemical resistant, making it perfect for any workspace.

STRUCTURE::


Tube and Cover: TPR (NBR/PVC), smooth, oil resistance
Reinforcement: 1ply or 2ply polyester braid.

APPLICATION:

The multipurpose air hose is designed for pneumatic tools. For example, air compressor and rock drill. It's also ideal for automated air line, air supply, cleaning and construction equipment and so on.

CHARACTERISTICS:

- Oil mist resistant tube and cover.
- Ozone, UV and weather resistant.
- Flexible and non-kink.
- Black, yellow, red, more color choices
- Temperature: -30°C (- 22°F) to + 80°C (+ 176°F)



JAYDEE

CONTROL CABLES & SPEEDO CABLES

We are manufacturing Automotive Control Cable Under The Brand Name "JAYDEE", Jaydee Speedo & Control Cables has a Good reputation in Indian Replacement Market . We are in Service Since 1972.

We are getting regular co-operation From our Dealers. Stockist, Retailers & Mechanics in Indian Market.

We are also Making Cables for Exporters. We are looking Customers in overseas Market & We are getting good response too.

Our Company has **ISO 9001 : 2015**. Certified Company. We have trained & Skilled Staff in our Manufacturing & Sales.

We are manufacturing Cables For Different use like, For Automobiles, Tractors, Earthmoving, Industrial, Trucks Etc.
Our Cables are Known For Smooth Movement, Value For Money, Flickering Free & Equivalent to OEM Standard.

MAIN PRODUCTS

SPEEDOMETER CABLES

STOP CABLES

ACCELERATOR CABLES

PARKING BRAKE CABLES

BONNET OPEN CABLES

FUEL LID OPEN CABLES

R.C LEVER CABLES

PUSH PULL CABLES

GEAR CABLES

TAIL GATE OPEN CABLES

CLUTCH CABLES


PUSH PULL CABLES



Speed On[®]

Fuel Lines

We are manufacturing Various Type of Fuel Transfer related Pipes, For Automobiles, Earthmoving, Tractors, Cars, Trucks, Diesel Engine Sets & New Generation Vehicles.




A VIEW FOR OUR PRODUCT DETAILS ARE

- | | | |
|------------------------------------|--------------------------------------|--|
| DIESEL PIPE (WIRE BRAIDED) | DIESEL PIPE (PVC) | DIESEL PIPE (NYLON) |
| DIESEL PIPE (R6) | OIL-METER PIPES | AIR PRESSURE HORN PIPE |
| BRAKE HOSES (CALIPER HOSES) | INJECTOR PIPES (NOZZLE PIPES) | PTFE HOSES. (FOR HIGH PRESSURE) |
| AIR BRAKE HOSES | POWER STEERING HOSES | AIR TANK PIPES FOR TRUCKS |
| STEEL BRAKE PIPES ETC. | GUAGE PIPES | RETURN PIPES |
| | OVERFLOW PIPES | |



SPIRAL SLEEVE
EASY INSTALLATION: WITH SIDE-CUT
FLEXIBLE RIBBED TUBE IS MUCH EASIER TO USE.



J. D. INTERNATIONAL

MANUFACTURERS OF : NYLON, HDPE, PU & ENGINEERING PLASTICS
LDPE, PVC, PP, CORRUGATED PIPES, Etc.

A-118, SECTOR A4, TRONICA CITY, LONI GHAZIABAD, U.P. (INDIA)
Tel.: 9999217217, 9821484100

JAGDAMBA AUTO INDUSTRIES

MANUFACTURERS OF : SPEEDOMETER CABLES, CONTROL CABLES,
FUEL LINES, BRAKE HOSES, INJECTION PIPES, NYLON PIPES,
HIGH PRESSURE BRAKE HOSES, ETC.....

803, CHHOTA BAZAR, KASHMERE GATE, DELHI- 110006
Tel.: 8383828535, 9810818152, 011-45421462